Hello Andrey Aleksandrovich. I continue to share with you my thoughts. Living-date disease - Parkinson's disease (as diagnosed doctors), I'd like to understand what it is and how to recover. If the first question I have learned a lot, then the second is yet to be seen.

To date, an alternative method for the treatment of Parkinson's - only technique RANC. It really is a fundamentally new "theory of treating" diseases associated with disruption of brain structures. This is evidenced by your many years of experience in this area and my personal experience of living medicinal properties methodology.

Complex I see that all have to live for yourself first. Only recently, I began to distinguish the effects of drug action and technique. I began to monitor even very small nuances of positive developments on the background of the negative impact of drugs. In this regard, I see that for a holistic picture of the effect of the rehabilitation procedure RANC should enrich its content in two (so far at this stage) interconnected elements - the "treatment theory" and "theory of recovery." The first theory - you filled with rich clinical experience and observational material and patterns of brain functioning after exposure procedures. But the second theory, it seems to me, requires an examination of the internal laws and the formation of coherent action in its implementation. I think that you have been working on it and already have some achievements, so I want to combine our efforts (if you want) in the implementation of the "theory of recovery" for the whole method as a whole. Now what I mean by "recovery theory."

There is a fact symptomatic disease, which today offers us modern medicine - the cerebral structures up to their death. There is a method of "treatment" in this context - receiving antiparkinsonian, where the basic idea of the treatment is to increase the dose of medication. In this approach, there is no place recovery - just a dead end, aggravating the body (especially the brain) the destruction of toxic, and not giving any chance to start healing the human body reserves and compensatory possibilities.

And there is a technique RANC, which was originally laid the reliance on internal reserves, followed by recovery.

From the above positions should output a correlation mechanism between: the level of disruption of brain structures, the degree of saturation of the brain psychotropic and existing reserve body (executable procedure). In finding the relationship I see the main content of "theory of recovery."

In their specialty, I am not a psychologist and an expert in the serious problems of neurology and pharmacology of the more, so the subtleties of the mechanisms of correlation of the above, you Andrey Aleksandrovich will be much more clear.

Therefore, I am ready to be a test to find the relationship by sharing with you my thoughts and observations.